



40319/B

Pharmacopoeias - Lille

Different 1.p. with price included
Woodcut headpiece to dedication (re set)
Last (blank) leaf wanting

- 1) PHARMACOPOEIAS, Lille
- 2) PHARMACOPOEIAS, France, Hospitals

FORMULÆ MEDICAMENTORUM

*NOSODOCHIIS MILITARIBUS
ADAPTATÆ, DIGESTÆ ET AUCTÆ*

*A D. RICHARD DE HAUTESIERCK, Equite Ordinis
regii Sancti-Michaelis, Primario Exercituum Medico,
Militarium Regni Nosocomiorum Inspectore generali ac
Proto-medico, salubris Consilii regii Socio, Regis Medico
ordinario, almæ Medicorum Univ. Monsp. necnon Regiæ
Scientiarum Academiæ Gottingensis Socio.*



PARISIIS,
EX TYPOGRAPHIA REGIA.

M. DCCLXVI.

*Sint tibi Pharmaca memoratu facilia, & Sim-
plicium facultates notæ tibi sint; tum Compositorum
descriptorum vires & horum Formulæ. Quotupliciter
& quomodo in singulis se habeant. Hoc enim in
Medicina initium, medium, finis.*

HIPPOCR.



INDEX TITULORUM

Quorum in Formulis fit mentio.

| P T I S A N Æ. | | | |
|--|--------|---|-------|
| <i>Ptisana communis.</i> | Pag. 1 | <i>Aposema febrifugum laxans.</i> | 7 |
| <i>Ptisana pectoralis.</i> | ibid. | <i>Oxymel compositum.</i> | 8 |
| <i>Ptisana adstringens.</i> | 2 | <i>Decoctum Simaroubæ.</i> | ibid. |
| <i>Ptisana acidulata, sive Limonada mineralis.</i> | ibid. | <i>Infusum amarum.</i> | ibid. |
| <i>Ptisana nitrata.</i> | ibid. | <i>Infusum vulnerarium.</i> | 9 |
| <i>Hydromel pro potu.</i> | ibid. | <i>Aqua Calcis.</i> | ibid. |
| <i>Oxycratiū pro potu.</i> | 3 | <i>Aqua picea, vulgò Eau de Goudron.</i> | 10 |
| <i>Decoctum album.</i> | ibid. | <hr/> | |
| <i>Decoctum Scorzonerae pro potu.</i> | ibid. | V I N A M E D I C A T A. | |
| <i>Infusum Lini.</i> | ibid. | <i>Vinum stomachicum.</i> | 10 |
| <i>Infusum Rosarum.</i> | 4 | <i>Vinum chalybeatum.</i> | 11 |
| <hr/> | | <i>Vinum antiscorbuticum.</i> | ibid. |
| | | <i>Infusum Scillæ.</i> | 12 |
| | | <i>Acetum aromaticum.</i> | ibid. |
| D E C O C T A. | | <i>Spiritus Mindereri.</i> | 13 |
| <i>Decoctum sudoriferum.</i> | ibid. | <i>Terra foliata Tartari.</i> | ibid. |
| <i>Decoctum sudoriferum laxans.</i> | 5 | <i>Liquor syphilliticus, sive contra Luem Veneream.</i> | 14 |
| <i>Decoctum Lapathi.</i> | ibid. | <i>Balsamum adstringens.</i> | ibid. |
| <i>Decoctum aperiens minus.</i> | ibid. | <hr/> | |
| <i>Decoctum aperiens majus.</i> | ibid. | P O T I O N E S. | |
| <i>Decoctum diureticum.</i> | 6 | <i>Potio sistens.</i> | 15 |
| <i>Decoctum Genistæ.</i> | ibid. | <i>Potio confortans acidulata.</i> | ibid. |
| <i>Decoctum antiscorbuticum.</i> | 7 | <i>Potio confortans minor.</i> | ibid. |
| <i>Decoctum febrifugum.</i> | ibid. | | |

| | | | |
|----------------------------------|-------|--|-------|
| <i>Potio confortans major.</i> | 16 | <i>Opiata febrifuga major.</i> | 24 |
| <i>Potio antiseptica.</i> | ibid. | <i>Opiata febrifuga pectoralis.</i> | 25 |
| <i>Acetum camphoratum majus.</i> | 17 | <i>Opiata dysenterica.</i> | ibid. |
| <i>Acetum camphoratum minus.</i> | ibid. | <i>Opiata dysenterica balsamica.</i> | ibid. |
| <i>Potio alterans.</i> | ibid. | <i>Opiata adstringens.</i> | 26 |
| <i>Potio salina.</i> | 18 | <i>Opiata incrassans balsamica.</i> | ibid. |
| <i>Potio antipleuritica.</i> | ibid. | <i>Opiata deterfiva.</i> | ibid. |
| <i>Potio diaphoretica.</i> | ibid. | <i>Electuarium lenitivum cum sulphure, ad morbos psoricos.</i> | ibid. |
| <i>Potio dysenterica.</i> | ibid. | | |
| <i>Potio adstringens.</i> | 19 | | |
| <i>Potio anthelminthica.</i> | ibid. | B O L I. | |
| <i>Potio febrifuga.</i> | ibid. | <i>Bolus in Quartanis.</i> | 27 |
| <i>Potio ammoniaca.</i> | 20 | <i>Bolus vermifugus.</i> | ibid. |
| <i>Potio oleosa.</i> | ibid. | <i>Bolus bechicus incidens.</i> | 28 |
| | | <i>Bolus in œdemate Pulmonum.</i> | ibid. |
| EMULSIONES ET JULEPI. | | <i>Bolus è Camphorâ.</i> | ibid. |
| <i>Emulsio simplex.</i> | ibid. | <i>Bolus antispasmodicus.</i> | 29 |
| <i>Emulsio nitrata.</i> | 21 | <i>Bolus psoricus.</i> | ibid. |
| <i>Emulsio camphorata.</i> | ibid. | | |
| <i>Julepus anodinus.</i> | ibid. | P I L U L Æ. | |
| <i>Julepus acidulatus.</i> | ibid. | <i>Pilulæ saponacæ.</i> | ibid. |
| | | <i>Pilulæ scilliticæ.</i> | 30 |
| L O O C H. | | <i>Pilulæ balsamicæ.</i> | ibid. |
| <i>Looch leniens.</i> | 22 | <i>Pilulæ de Terebinthinâ.</i> | ibid. |
| <i>Looch balsamicum.</i> | ibid. | <i>Pilulæ aluminosæ.</i> | 31 |
| <i>Looch incidens.</i> | ibid. | <i>Pilulæ antimoniales.</i> | ibid. |
| <i>Looch Japonicum.</i> | 23 | <i>Pilulæ depurantes.</i> | ibid. |
| <i>Looch saponatum.</i> | ibid. | <i>Pilulæ de Cynoglossô.</i> | 32 |
| | | <i>Pilulæ Starckey.</i> | ibid. |
| O P I A T Æ. | | <i>Pilulæ de Cicutâ.</i> | ibid. |
| <i>Opiata aperiens.</i> | ibid. | | |
| <i>Opiata febrifuga simplex.</i> | 24 | P U L V E R E S. | |
| <i>Opiata febrifuga purgans.</i> | ibid. | <i>Pulvis temperans.</i> | 33 |
| | | <i>Pulvis anodinus Doveri.</i> | ibid. |

REMEDIA EVACUANTIA.

VOMITORIA.

| | |
|------------------------------------|-------|
| <i>Aqua stybiata.</i> | 34 |
| <i>Ipecacuanha.</i> | ibid. |
| <i>Decoctum Ipecacuanhæ.</i> | ibid. |
| <i>Potio emetica in soporosis.</i> | 35 |
| <i>Vitrum ceratum Antimonii.</i> | ibid. |

PURGANTIA.

| | |
|----------------------------------|-------|
| <i>Dilutum Cassiæ.</i> | ibid. |
| <i>Decoctum Tamarindorum.</i> | 36 |
| <i>Cassia cum Mannâ.</i> | ibid. |
| <i>Rheum cum Mannâ.</i> | ibid. |
| <i>Manna cum Catholico.</i> | 37 |
| <i>Potio communis minor.</i> | ibid. |
| <i>Potio communis major.</i> | ibid. |
| <i>Potio hydragoga.</i> | 38 |
| <i>Emulsio purgans.</i> | ibid. |
| <i>Bolus laxans adstringens.</i> | ibid. |
| <i>Bolus purgans.</i> | 39 |
| <i>Bolus hydragogus.</i> | ibid. |
| <i>Pilulæ anti-hydopicæ.</i> | ibid. |
| <i>Pilulæ mercuriales.</i> | 40 |
| <i>Electuarium purgans.</i> | ibid. |

ENEMATIA.

| | |
|-------------------------------------|-------|
| <i>Enema simplex.</i> | 41 |
| <i>Enema laxans.</i> | ibid. |
| <i>Enema carminativum.</i> | ibid. |
| <i>Enema leniens.</i> | ibid. |
| <i>Enema balsamicum.</i> | 42 |
| <i>Enema ad soporosos affectus.</i> | ibid. |

MEDICAMENTA

SOLIO ENECANDO APTA.

| | |
|---------------------------|-------|
| <i>Bolus Gummi guttæ.</i> | 42 |
| <i>Pilulæ fætidæ.</i> | 43 |
| <i>Opiata Jovialis.</i> | ibid. |

REMEDIA EXTERNA.

GARGARISMATA.

| | |
|------------------------------------|-------|
| <i>Gargarisma emolliens.</i> | 44 |
| <i>Gargarisma detergens.</i> | ibid. |
| <i>Gargarisma adstringens.</i> | ibid. |
| <i>Gargarisma antiscorbuticum.</i> | 45 |

COLLYRIA.


| | |
|---|-------|
| <i>Collyrium sedans.</i> | ibid. |
| <i>Collyrium adstringens.</i> | ibid. |
| <i>Collyrium resolvens in Ophtalmiâ scorbuticâ.</i> | 46 |
| <i>Collyrium roborans.</i> | ibid. |
| <i>Collyrium saphirinum.</i> | ibid. |
| <i>Collyrium Lanfranci.</i> | ibid. |

CATAPLASMATA,

LINIMENTA, &c.

| | |
|----------------------------------|-------|
| <i>Cataplasma anodinum.</i> | 47 |
| <i>Cataplasma de Micâ panis.</i> | ibid. |
| <i>Cataplasma maturans.</i> | ibid. |
| <i>Sinapismus.</i> | ibid. |
| <i>Fomentum anodinum.</i> | 48 |
| <i>Fomentatio emolliens.</i> | ibid. |
| <i>Fomentatio ad Erysipelas.</i> | ibid. |
| <i>Fotus ad Gangrænam.</i> | 49 |

| | | | |
|---------------------------------------|-------|----------------------------|-------|
| <i>Vinum aromaticum pro Fotu.</i> | 49 | <i>Aromata.</i> | 64 |
| <i>Fotus tonicus.</i> | ibid. | <i>Ligna.</i> | ibid. |
| <i>Aqua Vitæ saponacea.</i> | 50 | <i>Fungi.</i> | 65 |
| <i>Aquâ styptica.</i> | ibid. | <i>Marina.</i> | ibid. |
| <i>Linimentum antipleuriticum.</i> | ibid. | <i>Ex Animalibus.</i> | ibid. |
| <i>Linimentum volatile.</i> | ibid. | <i>Mineralia.</i> | 66 |
| <i>Litus ad Rhumatismum.</i> | 51 | <i>Gummi & Resinæ.</i> | ibid. |
| <i>Litus ad Hæmorroides.</i> | ibid. | <i>Succi concreti.</i> | 67 |
| <i>Unguentum ad Hæmorroides.</i> | ibid. | <i>Balsama nativa.</i> | 68 |
| <i>Unguentum ad Ambusta.</i> | ibid. | <i>Olea expressa.</i> | ibid. |
| <i>Unguentum nervale.</i> | 52 | <i>Olea infusa.</i> | ibid. |
| <i>Unguentum ad Scabiem.</i> | ibid. | <i>Olea distillata.</i> | 69 |
| <i>Unguentum mercuriale citrinum.</i> | ibid. | <i>Salia naturalia.</i> | ibid. |
| <i>Emplastrum resolvens.</i> | ibid. | <i>Salia artificialia.</i> | ibid. |
| <i>Emplastrum mercuriale.</i> | 53 | <i>Salia fixa.</i> | 70 |
| <i>Extractum Saturni.</i> | ibid. | <i>Salia volatilia.</i> | ibid. |
| <i>Liquor vegeto-mineralis.</i> | ibid. | <hr/> | |
| <i>Prima Candelæ species.</i> | ibid. | REMEDIA COMPOSITA. | |
| <i>Secunda Candelæ species.</i> | 54 | <i>Pulveres.</i> | 71 |
| <i>Tertia Candelæ species.</i> | ibid. | <i>Conservæ.</i> | ibid. |
| <hr/> | | <i>Electuaria.</i> | ibid. |
| R E M E D I A | | <i>Extracta.</i> | 72 |
| SIMPLICIA ET COMPOSITA. | | <i>Pilulæ.</i> | ibid. |
| <hr/> | | <i>Syrupi.</i> | ibid. |
| REMEDIA SIMPLICIA. | | <i>Tincturæ.</i> | 73 |
| <i>Radices.</i> | 57 | <i>Balsama.</i> | 74 |
| <i>Folia.</i> | 59 | <i>Unguenta.</i> | ibid. |
| <i>Flores.</i> | 61 | <i>Emplastra.</i> | 75 |
| <i>Semina.</i> | 62 | <hr/> | |
| <i>Fructus.</i> | 63 | REMEDIA CHEMYCA. | |
| <i>Cortices.</i> | 64 | 76 & 77 | |
| | | <hr/> | |



FORMULARII hujus nova prostat editio, primâ Cassellorum
castris editâ, correctior. Medicamenta quæ hodie in usum
veniunt, Jussu regio, selecta offero. Copiosam remediorum &
variata[m] seriem, necessariam duxi, ut casibus singulis & cli-
matibus opitularetur.

Indicationes ferè omnes, præsent[i] in Formulario auctiori,
adimplere animus est. Sola, quæ in arte fida & experta huc
adduxi: omnia Nosodochiorum circumstantiis magis accommo-
data, quam expolita.

Præpositi, Militibus sanandis, Medici, suam quisque praxim,
meamque invenient.

Ægrotantium incolumitati, & morborum curationi proficiat
hoc Opusculum: mea hæc unica vota.

Dabam Parisiis, die 1.^a Maii anni 1765.

P O N D E R A .

Libr . . . Libra habet
Uncias sexdecim.
Unc. . . . Uncia continet
Drachmas octo.
Drach . . . Drachma complectitur
Scrupulos tres.
Scrup. . . . Scrupulus pendit
Grana viginti quatuor.
Gran. . . . Granum æquat
Pondus grani hordei.
Gut. . . . Gutta est fere
Ponderis Grani.
Cochleare denotat mensuram
Unciæ dimidiæ.
Pinta . . . continet Aquæ communis
circiter Libras duas.

D E S I G N A N T .

Rad. . . . Radices.
Cort. . . . Cortices.
Fol. . . . Folia.
Flor. . . . Flores.
Fruet. . . . Fructus.
Sem. . . . Semina.
Syr. . . . Syrupos.
Pulv. . . . Pulveres, *vel* Pulverisatum.
M. . . . Manipulum.
Pug. . . . Pugillum.
Sem. . . . Semis.
Ppt. . . . Præparatum.
F. . . . Fiat.
Mf. . . . Misce.
S: a. . . . Secundum artem.
S. q. . . . Sufficientem quantitatem.
Q. v. . . . Quantum volueris.
Ana. . . . Singulorum prius recensito-
rum parem quantitatem.

Binæ dum occurrunt Doses, minorem sequantur Pharmacopæi,
si major à Medico non sit præscripta.

Galenicæ Compositiones, Chymicæque Operationes, secundum
Pharmacopæam Parisiensem, conficiantur.

FORMULÆ



FORMULÆ
MEDICAMENTORUM
NOSODOCHIIS MILITARIBUS
ADAPTATÆ.

PTISANÆ.

PTISANA COMMUNIS.

℞. Hordei integri, prius loti & leviter cocti *Lib. j.*
Rad. Graminis *Semi-libram.*
Glycyrrhiæ *Unc. iv.*
Hordeum & Rad. coquantur in aquæ communis . . *Lib. lxiv.*
Sub finem addatur Glycyrrh.

PTISANA PECTORALIS.

℞. Rad. Althææ *Semi-lib.*
Glycyrrhiæ *Unc. vj.*
Caricarum Pinguium *Unc. iv.*
A

Coque leviter in aquæ simplicis. *Libr. lxiv.*

Sub finem adde

Flor. papaveris Rhæados. *M. j.*

P T I S A N A A D S T R I N G E N S.

℞. Rad. Consolidæ maj.

Tormentillæ, ana. *Unc. iij.*

Glycyrrhizæ. *Unc. ij.*

Rad. Tormentillæ coquatur, per dimidiam horam
in aquæ simpl. *Libr. xxxiv*, dein jungantur Rad.
Consolid. maj. & Glycyrrh.

*P T I S A N A A C I D U L A T A, S I V E L I M O N A D A
M I N E R A L I S.*

℞. Ptisanæ communis. *Libr. iv.*

Spiritus Vitrioli ad gratam aciditatem.

adde

Olei Essentialis Citri. *Gut. iv.*

Cum

Sacchari albi triti. *Unc. ij.*

P T I S A N A N I T R A T A.

℞. Ptisanæ communis. *Lib. iv.*

Solve

Nitri purissimi. *Semi-drach.*

H Y D R O M E L P R O P O T U.

℞. Mellis optimi. *Unc. iij.*

Solve in ptisanæ bullientis. *Lib. iv.*

M E D I C A M E N T O R U M .

3

Si velis nitratum, adde

Nitri purissimi.....*Drach. j.*

O X Y C R A T I U M P R O P O T U .

R. Aceti Vini optimi.....*Unc. vj.*

Ms. cum Aquæ simpl.....*Libr. iv.*

D E C O C T U M A L B U M .

R. Micæ panis alb.....*Unc. iv.*

Cornu Cervi ad alb. calcinat.....*Unc. j.*

Cinnamomi pulv.....*Sem. scrup.*

Coq. in Aquæ simp. *Libr. v* ad quartæ partis consumptionem.

Colaturæ adde

Sacchari albi.....*Unc. ij.*

D E C O C T U M S C O R Z O N E R Æ P R O P O T U .

R. Rad. Scorzonæ.....*Unc. ij.*

Petroselin.*Unc. j.*

Coque leviter in Aquæ simpl.....*Lib. iv.*

Sub finem adde

Glycyrrhiæ
Flor. Sambuci } *ana*.....*Drach. ij.*

I N F U S U M L I N I .

R. Sem. Lini.....*Unc. ij.*

Rad. Glycyrrh.....*Semi-unc.*

Fiat infusio calida in Aquæ *libr. iv*, per horas tres.

A ij

I N F U S U M R O S A R U M.

℞. Flor. Rosarum rub. siccat.....*Unc. ij.*Spiritus Vitrioli.....*Drach. ij.*Infunde calide in Aquæ font. *libr. iv*, per tres horas.

D E C O C T A.

*Horum Decoctorum Unciæ sex dentur bis, ter,
quater, in die.*

D E C O C T U M S U D O R I F E R U M.

℞ Rasuræ ligni guajaci.....*Unc. ij.*Sassafras.....*Unc. j.*

Rad. Sarsaparillæ

Chinæ

Caryophyllatæ

} *ana.....Sem.-unc.*Baccarum juniperi.....*Drach. ij.*Antimonii crudi cras. trit.....*Unc. ij.*Simul macerentur per noctem in Aquæ simpl. calidæ
libr. vj, mane bulliant, obturato vase, horæ unius
spatio.

Coletur liquor.

DECOCTUM SUDORIFERUM LAXANS.

Sub coctionis finem superioris decocti sudoriferi, adde

Fol. Sennæ *Unc. j.*

DECOCTUM LAPATHI.

R. Rad. Lapathi acuti. *Unc. ij.*

Enulæ campanæ }
Baccar. juniperi } *ana Sem. unc.*

Coq. in Aquæ simpl. *libr. vj*, ad quartæ partis consumptionem. Sub finem adde

Fol. Fumariæ. *M. j.*

DECOCTUM APERIENS MINUS.

R. Rad. Fragariæ }
Acetosæ } *ana Unc. j.*

Lapathi acut. *Sem. unc.*

Coque leviter in Aquæ communis *Libr. iv.*

Sub finem adde.

Fol. Cichorii silvestris }
Scolopendrii } *ana M. j.*

In colat. solve

Nitri purissimi *Drach. j.*

DECOCTUM APERIENS MAJUS.

R. Rad. Chelidonii Maj. }
Scrophulariæ } *ana Unc. j.*

A iij

Enulæ campanæ.....*Sem. unc.*

Coq. in Aquæ conim. *libr. vj*, per dimidiam horam.

Sub finem addē

| | | |
|------------------|---|-------------------------------|
| Fol. Erysimi | } | <i>ana</i> <i>M. j.</i> |
| Trifolii fibrini | | |

In colatura solve

Arcani duplicati.....*Drach. ij.*

D E C O C T U M D I U R E T I C U M.

| | | |
|---------------------|---|---------------------------------|
| R. Rad. Petroselini | } | <i>ana</i> <i>Unc. j.</i> |
| Foeniculi | | |

| | | |
|-----------------------|---|-----------------------------------|
| Sem. Dauci Sylvestris | } | <i>ana</i> <i>Sem. unc.</i> |
| Fructus Alkekengi | | |

Coq. in Aquæ simpl. *libr. v*, ad *libr. iv*

Adde sub finem

Fol. Parietariæ.....*M. j.*

Passul. maj.....*Sem. unc.*

In Colatura solve

Nitri puriss.....*Drach. ij.*

D E C O C T U M G E N I S T Æ.

R. Cinerum Genistæ.....*Unc. vj.*

Coq. in Aquæ simpl. *libr. vj*, ad quartæ partis consumptionem.

Sub finem adde

Fol. Absinthii.....*Sem. M.*

Baccar. juniperi.....*Unc. ij.*

In Colatura adde

Salis Martis Riverii Gr. xij.

DECOCTUM ANTISCORBUTICUM.

℞. Rad. Raphani rustici Unc. ij.

Coq. in Aquæ libr. v, per horæ quadrantem ; tunc adde

Fol. Beccabungæ

Nasturtii aquatici

Cochleariæ

Acetosæ

} ana Sem. M.

Post lenem coctionem remove ab igne, & dum
refruxerit, cola.

Colaturæ misce

Aceti Vini Unc. iv.

DECOCTUM FEBRIFUGUM.

℞. Corticis chinæ-chinæ Unc. ij.

Nitri depurati Drach. j.

Coquantur in Aquæ simpl. libr. vj, per dimidiam horam.

APOSEMA FEBRIFUGUM LAXANS.

℞ Corticis chinæ-chinæ pulv. Unc. ij.

Salis Glauberi Sem.-unc.

Coq. in Aquæ simp. libr. vj, ad quartæ partis dimi-
nutionem. Sub finem adde

Fol. Cichorii Sylvestr.

Endiviæ recent.

Sennæ Sem.-unc.

} ana Sem. M.

In colatura dilue

Syr. Cichorii cum Rheo *Unc. ij.*

O X Y M E L C O M P O S I T U M.

R. Rad. Helenii *Unc. j.*

Iridis Florentinæ *Sem.-unc.*

Contusa coque in Aquæ fontanæ *libr. ij & sem.* ad
quintæ partis consumptionem.

Colaturæ adde

Mellis despumati *Libr. j.*

Gummi Ammoniaci *unc. j.*, soluti in aceti *Sem. libr.*

Propinetur Cochleare unum omni bihorio vel trihorio.

D E C O C T U M S I M A R O U B Æ.

R. Corticis Simaroubæ *Sem.-unc.*

Coq. in Aquæ simpl. *libr. j & sem.* ad tertiæ partis
consumptionem

In tres doses dividatur, singulis trihoriis sumendas.

I N F U S U M A M A R U M.

| | | |
|--------------------------|---|-----------------------------|
| R. Fol. Cardui Benedicti | } | <i>ana M. ij.</i> |
| Chamædryos | | |
| Chamæpithyos | | |

| | | |
|-------------------------|---|----------------------------|
| Flor. Centaurii minoris | } | <i>ana M. j.</i> |
| Hyperici | | |
| Lupuli | | |

Incisa ferventur.

Horum

M E D I C A M E N T O R U M.

9

Horum *Semi-unc.* infunditur Aquæ bullientis *libr. j.*

Si postuletur acidulatum,

Colato liquori affunditur

Spiritus Vitrioli. *Drach. j.*

Dosis *Unc. vj.*

I N F U S U M V U L N E R A R I U M.

R. Fol. Hæderæ Terrestris

Veronicæ

Saniculæ

} *ana. M. ij.*

Summitat. hyperici

Virgæ aureæ

Flor. Bellidis minoris

Pedis Cati

} *ana. M. j.*

Incisa misceantur & ferventur.

Aquæ bullientis *libr. j.*, affunde supra harum plantarum *Sem.-unc.*

Sumat æger bis, ter, quaterve per diem. *Unc. vj.*

Dosis præscripta misceatur cum Lactis *unc. vj.*, si ferat
indicatio.

A Q U A C A L C I S.

R. Calcis vivæ. *Libr. j.*

Affunde paulatim

Aquæ simpl. calidæ. *Libr. xvj.*

Ebullitione peracta, spatula lignea agitetur. Quiete

B

subfidat calx. Aquam filtratam serva in lagenis obturatis.

Sola, vel cum Lacte, propinabitur ad *unc. vj*, bis, ter in die.

AQUA PICEA, vulgò EAU DE GOUDRON.

℞. Picis liquidæ.....*Libr. ij.*

Aquæ font.....*Libr. viij.*

Agitentur valide bacillo ligneo, & post biduum vel triduum, despuma, & aquam decanta.

Dos. *unc vj*, ter vel quater in die;

Cum Lactis part. æq. maritari potest.

VINA MEDICATA.

VINUM STOMACHICUM.

℞. Rad. Gentianæ.....*Unc. ij.*

Calami Aromatici.....*Unc. j.*

Fol. Cardui Benedicti

Trifolii fibrini

Absinthii

} *ana.....Sem.-unc.*

Sem. Coriandri.....*Drach. iij.*

Digere in vini albi *libr. iv*, supra cineres calidos, vase rite clauso, per horas viginti.

In colatura misce

Spiritus nitri dulcis.....*Sem.-unc.*

Spiritus vini.....*Unc. iij.*

Sumantur *unc. iij*, bis, ter in die.

V I N U M C H A L Y B E A T U M .

R. Limaturæ martis non Rubiginos.....*Unc. iij.*

Cort. Peruviani }
Magellan. } *ana*.....*Unc. ij.*

Caryophyllorum.....*Drach. j.*

In pulv. redigantur; infundantur Vini albi *libr. iv*; stent
simul in vase obturato, per triduum, addita

Aquæ Rabellianæ.....*Sem.-unc.*

Dein supra cineres calidos, per noctem digerantur.

Colato liquori misce

Spiritus Vini.....*Unc. iv.*

bis, ter, quater in die, dentur.....*Unc. iij.*

Nova potest institui digestio cum Vini.....*libr. j.*

V I N U M A N T I S C O R B U T I C U M .

R. Rad. Raphani rust.....*Sem. - lib.*

Petroselini.....*Unc. iv.*

Fol. Nasturtii aquatici }
Erysimi }
Fumariæ } *ana*.....*M. j.*
Cochleariæ }

B ij

Sem. Sinapi *Unc. iv.*

Salis Ammoniaci *Unc. ij.*

Vini albi *Libr. xvj.*

Terenda statim Sem. Sinapi, dein Rad. & herbæ
recentes, in mortario lapideo; deponantur simul
in vase idoneo clauso, addito Sale ammoniaco;
Vinum affundatur; Maceratio horum instituat per
tres dies; Colatura cum expressione servetur in lagenis
obturatis.

Capiat Æger *unc. iij*, ter, quater, quotidie.

I N F U S U M S C I L L Æ.

R. Scillæ recentis *Unc. j.*

| | |
|----------------------|--|
| Corticis Aurantiorum | } <i>ana</i> <i>Drach. ij.</i> |
| Calami Aromatici | |

Infunde in Vini albi, *libr. ij*, per tres dies; in colatura
dilue Oxymellis Scillitici *Unc. ij.*

Dos. cochleare unum, bis, ter in die.

A C E T U M A R O M A T I C U M.

| | |
|---------------------|---------------------------------------|
| R. Rad. Imperatoriæ | } <i>ana</i> <i>Unc. j.</i> |
| Angelicæ | |
| Zedoariæ | |
| Fol. Scordii | |
| Rutæ | |
| Salviæ | |

| | |
|--------------------------|---|
| Baccar. juniperi | } <i>ana</i> <i>Sem. unc.</i> |
| Flaved. cort. aurantior. | |

Minutim incisa, digerantur in aceti Vini optimi *libr. iij*,
per dies sex, vase rite clauso. Filtratum acetum in
lagenis obturatis reponatur.

Dosis *Semi-unc.* ad *j*, in potione confortante vel
diaphoretica.

S P I R I T U S M I N D E R E R I.

℞. Salis volatilis ammoniaci. *Q. v.*

Paulatim instilla, movendo,

Aceti optimi. *Q. f.*

Et donec cesset effervescentia.

Potioni diaphoreticæ aut confortanti possunt misceri:

Drach. ij ad *Sem. unc.*

T E R R A F O L I A T A T A R T A R I.

℞. Salis tartari purissimi. *Unc. j.*

Misce agitando,

Aceti vini acerrimi. *Libr. j.*

Plus minusve ad perfectam saturationem, id est, donec
non amplius fermentescat.

Vaporetur mixtio aut distilletur igne lenissimo ad
siccitatem. Solve massam in

Spiritus vini. *Q. f.*

Filtra & vapore ad siccitatem; & quidem filtrationem
& evaporationem repete pariter ad siccitatem, donec
residuum sit foliaceum,

Dosis *unc. j*, in decoct. aperient. *unc. xvj.*

B iij

L I Q U O R S Y P H I L I T I C U S ,
sive contra L U E M V E N E R E A M .

R. Mercurii sublimat. corrosiv. *Gran. xij.*

Camphoræ. *Gran. iv.*

In mortario lapideo, trituratione solvantur, affundendo
 sensim pauxillum Aquæ vitæ, ad *libr. ij.* Sub finem
 misce

Syr. papaveris Rhæad. *Unc. j.*

Servetur in lagenis.

Dosis Cochlear. *j* ad *ij* mane & fero, in ptisan.
 pectoral. & lact. vacc. *ana Semi-libr.*

B A L S A M U M A D S T R I N G E N S .

R. Olei Terebinthinæ }
 Vitrioli } *ana Semi-unc.*

Sensim misceantur, dein paulatim affundantur.

Spiritus vini rectific. *Unc. iij.*

Dosis *Semi-scrupul.* ad *Scrupul. ij*, semel vel bis in
 die, in ptisana adstringente.

P O T I O N E S.

*Potiones sequentes propinabuntur, singulis bihoriis
vel trihoriis à cochlear. ij ad iij.*

P O T I O S I S T E N S.

℞. Confect. de Hyacinto Drach. iij.

Syr. Cydoniorum Unc. j.

Simul misceantur in mortario lapideo addendo,

Decocti cort. Aurantior. Unc. iv.

P O T I O C O N F O R T A N S A C I D U L A T A.

℞. Confectionis de Hyacinto }
Alkermes } ana Drach. j.

Liquoris mineralis Hoffmann. Scrup. ij.

Syr. Limonum Semi-unc.

Mixta simul in mortario lapideo, diluantur

in Vini Rubri }
Aquæ communis } ana Unc. ij.

P O T I O C O N F O R T A N S M I N O R.

℞. Vini rubri optimi }
Aquæ communis } ana Unc. ij.

Cinnamomi hordeat. }
 Syr. Flor. Tunicæ. } *ana* *Semi-unc.*
 Misce.

P O T I O C O N F O R T A N S M A J O R.

R. Vini Rubri optimi }
 Aquæ communis } *ana* *Unc. ij.*
 Spiritus Melissæ Comp. }
 Theriacalis } *ana* *Drach ij.*
 Syr. Caryophyl. *Semi-unc.*
 Misce.

P O T I O N I B U S H I S C O N F O R T A N T I B U S , P O S S U N T ,
 U R G E N T E N E C E S S I T A T E , A D D I

Lilium paracelsi à *scrup. j.* ad *scrup. ij.*
 Spiritus vol. oleosus à *gut. xv.* ad *xxx.*
 Tartarus emet. à *gran. j.* ad *ij.*

P O T I O A N T I S E P T I C A.

R. Cort. chinæ-chinæ, }
 Rad. Serpentar. Virginianæ } *ana* *Drach. iij.*
 Coq. in Aquæ simpl. *libr. j.* ad *unc. viij.*
 Sub finem adde
 Flor. Chamæmeli Rom. *Drach. j.*
 In colatura misce
 Spiritus Nitri dulcis *Semi-drach.*
 Aquæ Cinnamomi vinosi }
 Syr. Limonum } *ana* *Unc. j.*

A C E T U M

ACETUM CAMPHORATUM MAJUS.

℞. Camphoræ *Drach. j.*

Teratur in mortario lapideo, addendo *gutt. xx* Spiritus
vini rect. dein adde

Sacchari albi *Unc. ij.*

Diu simul tritis, misce

Aceti Vini fragrantis *Unc. x.*

Detur Cochleare *j*, omni trihorio.

ACETUM CAMPHORATUM MINUS.

℞. Camphoræ *Semi-drach.*

Sacchari albi

Mucilag. Gum. Arabic.

} *ana Drach. j.*

His invicem in mortario vitreo tritis, adde

Aceti calidi *Semi-unc.*

Aquæ Flor. Sambuc. *Unc. vj.*

Syr. Flor. Rhæad. *Unc. j.*

Addi huic mixturæ potest Laudan. liq. ad *gut. xxx.*

Dosis Cochlear. *j*, singulis, binis, vel trinis horis.

POTIO ALTERANS.

℞. Salis Absinthii *Semi-drach.*

Syr. Limonum *Unc. j.*

Solve in

Ptisanæ acidulatæ *Unc. iv.*

C

P O T I O S A L I N A.

℞. Salis Polychrestii Drach. j.
 Tartari vitriolati Semi-drach.
 Solvantur in Decocti aperient. Unc. iv.
 Edulcoretur liquor cum
 Syr. de 5 Rad. aperient. Unc. j.

P O T I O A N T I P L E U R I T I C A.

℞. Nitri purissimi
 Antimonii diaphoretici } ana. Semi-drach.
 Solve in Ptisanæ pectoralis unc. iv, & admisce
 Syr. Papaveris Rhæad. Unc. j.

P O T I O D I A P H O R E T I C A.

℞. Rad. Contrayervæ pulv. Drach. j.
 Antimonii diaphoretici Semi-drach.
 Camphoræ Semi-gran.
 Misce trititando, cum
 Syr. Cort. aurantiōrum Semi-unc.
 Et Decoct. fudoriferi Unc. iv.

P O T I O D Y S E N T E R I C A.

℞. Boli Armenæ Drach. ij.
 Terræ Cathecu
 Mastiches
 Cornu Cervi phil. ppt. } ana Scripul. j.

M E D I C A M E N T O R U M. 19

Gunni Arabici *Semi-drach.*

In pulverem redactis, affunde paulatim, terendo

Syr. Cydoniorum *Unc. j.*

Ptisanae adstringent. *Unc. iv.*

Adde, si præscribatur,

Laudan. liq. Sydenham. *Gut. vj.*

P O T I O A D S T R I N G E N S.

℞. Succī Hipocistidis *Drach. j.*

Sanguinis Draconis }
Aluminis Puri } *ana Semi-drach.*

Simul terantur, paululum affundendo

Ptisanae adstringent. *Unc. iv.*

Syr. Myrthini. *Unc. j.*

P O T I O A N T H E L M I N T H I C A.

℞. Seminum Contra *Drach. j.*

Corallinae *Semi-drach.*

Pulverisata, trituratione misceantur cum syr. Limon. *Semi-unc.*

Ptisanae acidulatae *Unc. iv.*

P O T I O F E B R I F U G A.

℞. Corticis Peruviani *Drach. j.*

Agarici albi }
Iridis Florent } *ana. Scrup. j.*

Salis absinth. *Gran. vj.*

Pulveris. dilue in decoct. aperient *Unc. iv.*

C ij

Pro dosi, per plures dies, mane, jejuno ventriculo, iteranda.

P O T I O A M M O N I A C A.

R. Gummi Ammoniacy. *Scrup. ij.*

Solve in Oxymellis Scillit. *Semi-unc.*
adde.

Ptisanæ commun. *Unc. iv.*

Dos. Cochlearē *j* ad *ij*, omni bihorio, vel trihorio.

P O T I O O L E O S A.

R. Olei Amygdal. dulc. }
Syr. Altheæ } *ana. Unc. j.*

Ptisanæ pectoral. *Unc. iij.*

Misce.

Si Diuretica optetur, adde

Nitri Puriss. *Gran. viij.*

Spiritus Nitri dulc. *Gut. xij.*

Agitetur potio hæc, quotiescumque datur ægro.

EMULSIONES ET JULEPI.

E M U L S I O S I M P L E X.

R. Amygd. dulc. excortic. *n.º xvj.*

Sem. 4 Frigid. maj. *Semi-unc.*

Contundantur in mortario lapideo, sensim affundendo.

ptisan. comm. *libr. j. & sem.* colentur & exprimantur.

In express. solve

Sacchar. Alb. *Unc. j.*

Pro *iv* dosibus.

E M U L S I O N I T R A T A.

Solve in emulsionis simpli. *Unc. vj.*

Nitri puriss. *Gran. vj.*

E M U L S I O C A M P H O R A T A.

℞. Camphoræ *Gran. ij.*

Solve in mortario cum spiritus vini *Gut. x.*

Misce

Emulsionis simplicis. *Unc. vj.*

J U L E P U S A N O D I N U S.

℞. Nitri puriss. *Gran. iv.*

Syr. Diacodii *Semi-unc.*

Solve in ptisanæ commun. *Unc. iv.*

Pro dosi.

J U L E P U S A C I D U L A T U S.

℞. Ptisanæ communis *Unc. vj.*

Spiritus nitri dulcis. *Gut. vj.*

Syr. Limon. *Semi-unc.*

Misce.

His, si videtur, addi possunt

Laudanum liquid. Sydenhami, a *Gut. vj.* ad *xv.*
vel etiam

Sal sedativ. Homberg, a *Semi-scrup.* ad *scrup. j.*

L O O C H.

L O O C H L E N I E N S.

℞. Gum. Tragacanth. subtil. pulv. *Gran. xvj.*

Olei Amygdal. dulc. }
Syr. Althææ } *ana. Unc. j.*

Ptisanae pectoral. *Unc. iv.*

Paulatim, alternatimque miscendo, & diu terendo
gummi cum liquidis. F. Looch.

Si in dysenteria hujus sit usus, Laudanum liquidum
addi potest a *gut. vj.* ad *xv.*

L O O C H B A L S A M I C U M.

Adde looch lenienti, terebinthinæ Venetæ in vitello
•vi solutæ, *scrup. j.*

L O O C H I N C I D E N S.

℞. Pulveris Diaireos. *Drach. ij.*

Ari ppt. *Drach. j.*

Cum Mellis despumati, *unc. vj.* & Oxymellis scillit. *Semi-unc.*

F. Looch.

His jungi potest Kermes mineralis a *gr. j.* ad *ijj.*

L O O C H J A P O N I C U M .

℞. Terræ Cathecū *Drach. ij.*
 Rad. Consolidæ maj. pulv. *Drach. j.*
 Cum Mellis rosati *Unc. vj.*
 F. Looch.

L O O C H S A P O N A T U M .

℞. Saponis Venetiarum *Drach. j.*
 Olei Amygd. dulc. *Unc. j.*
 Mellis despumati *Unc. ij.*
 Misce in mortario.

O P I A T Æ .

*Harum propinabitur Drach. j, bis, ter, quater
 in die.*

O P I A T A A P E R I E N S .

℞. Rad. Aristolochiæ tenuis }
 Gentianæ } *ana. Unc. ij.*
 Ari *Unc. j.*
 Jalappæ *Drach. ij.*

Gummi Ammoniaci in aceto soluti }
 Aloes soccotrinæ } ana *Unc. j.*
 Salis Polychrestii *Semi-unc.*
 Tartari vitriolati *Drach. ij.*
 Limaturæ Martis *Unc. j.*
 Aloes & Gummi ammon. in oxymellis scillitici *q. s.*
 triturando dissolvantur; dissolutioni miscendo radices
 & salia in pulverem redact.

F. Opiata.

O P I A T A F E B R I F U G A S I M P L E X.

R. Cort. chinæ-chinæ pulv. *Unc. iv.*
 Nitri puriss. *Drach. iij.*
 Simul misceantur in mortario, & cum Conservæ rosar. *Unc. ij.*
 Syr. Cichor. cum Rh. *Q. S.*

F. Opiata.

O P I A T A F E B R I F U G A P U R G A N S.

Adde Opiatæ febrifug. simpl.

Rad. Jalappæ *Drach. iij.*

O P I A T A F E B R I F U G A M A J O R.

R. Cort. chinæ-chinæ *Unc. iv.*
 Rad. Serpentariæ Virgin. }
 Flor. Chamæmeli rom. } ana *Semi-unc.*
 Rad. Jalappæ }
 Hellebori nigri } ana *Drach. ij.*

Salis

Salis Ammoniaci Drach. iij.

Abſinthii }
Martis } ana Drach. ij.

In pulv. redacta miſceantur, & cum Elixir. pptatis. . Q. ſ.

F. Opiata.

O P I A T A F E B R I F U G A P E C T O R A L I S.

R. Cort. chinæ-chinæ Unc. j.

Sperm. Ceti Drach. ij.

Olæi Amygd. dulc. Semi-unc.

Conſerv. Roſarum rub. Unc. j.

Sperma Ceti in oleo trituratione ſolvatur. Conſervam
adde & pulv. chinæ-chinæ; inſtillando Syr.
Althææ. q. ſ.

F. Opiata.

O P I A T A D Y S E N T E R I C A.

R. Boli Armenæ Unc. iij.

Gummi Arabici Semi-unc.

Theriacæ }
Diaſcordii } ana Unc. ij.

In pulverem reducantur Bol. Armena & Gum. Arab.
jungantur Theriacæ & Diaſcordio; & cum Syr.
Diacodii ſ. q.

F. Opiata.

O P I A T A D Y S E N T E R I C A B A L S A M I C A.

Adde Opiatæ Dyſentericæ.

Balfami Locatelli Unc. ij.

D

O P I A T A A D S T R I N G E N S.

℞. Cort. Cascarillæ }
 Terræ Japonicæ } *ana* *Unc. j.*
 Malicorii }
 Nucum Cupressi } *ana* *Semi-unc.*
 Extracti Juniperi. *Unc. iv.*

Mixtis pulv. cum extracto Juniperi, opiatæ consis-
 tiam largiatur Syr. Myrthinus.

O P I A T A I N C R A S S A N S B A L S A M I C A.

℞. Conserv. rosar. rubr. *Unc. iv.*
 Pulv. Diatragacanth. frigid. *Unc. ij.*
 Terebinth. Venet. *Drach. j.*
 Syr. Balsamici. *Q. s.*

Terebinth. cum Syr. solutæ, addantur Conserv. rosar.
 & pulv. diatrag.

O P I A T A D E T E R S I V A.

℞. Myrrhæ elect. }
 Olibani } *ana* *Semi-unc.*
 Spermatis Ceti *Drach. ij.*

Cum Vitello ovi diu contritæ Myrrhæ, in mortario
 lapideo, simul admisce Oliban. dein Sperma ceti.

adde

Mellis optimi. *Unc. vi.*
 Pulv. Glycyrrh. *Q. s.*

ELECTUARIUM LENITIVUM CUM SULPHURE,
AD MORBOS PSORICOS.

℞. Electuarii lenitivi Semi-libr.
Florum sulphuris Unc. ij.

Misce.

Dosis a drach. j ad Semi-unc. pluries iteranda.

Opiata Salomon. a Semi-drach. ad Drach. j.

Diascordium a Semi-drach. ad Drach. j.

Theriaca a Semi-drach. ad Drach. j.

Philonium romanum a Semi-scrupul. ad Scrup. ij.

Laudanum opiatum a Semi-gran. ad Gran. j.

Vide Codicem Parisiensem.

B O L I.

B O L U S I N Q U A R T A N I S.

℞. Cort. Chinæ-chinæ Unc. j & sem.

Scillæ præparatæ Scrup. iv.

Kermes mineralis Gran. xij.

Spiritus vol. Salis ammoniaci Drach. ij.

F. Boli xxiv, quorum unum capiat æger, bis, ter
aut quater in die.

B O L U S V E R M I F U G U S.

℞. Radicis Filicis fæminæ }
Sem. Cinæ } ana Unc. j.

Rhei elect. Semi-unc.

D ij

Mercurii dulcis.....Drach. ij.

In pulverem redigantur, & cum

Syr. Absynth. F. boli xxiv.

Bolus *j* pro dosi, bis, ter, in die iterandus.

BOLUS BECHICUS INCIDENS.

R. Spermatidis Ceti }
Nitri purissimi } *ana*.....Semi-unc.

Pulv. ari comp.....Drach. ij.

Kermes mineralis.....Scrup. j.

Camphoræ.....Semi-drach.

Cum Oximel. scillit. *q. s.* F. Boli xxiv.

Bolus *j* pro dosi, omni trihor. deglutiendus.

BOLUS IN ŒDEIMATE PULMONUM.

R. Rad. Asclepiadis.....Semi-unc.

Scillæ ppt.....Drach. ij.

Salis Absynthii.....Drach. j.

Cum Syr. Erysimi, F. Boli xxiv.

Dos. Bolus *j*, ter, quater in die repetendus.

BOLUS È CAMPHORA.

R. Rad. Contrayervæ.....Semi-unc.

Nitri purissimi.....Drach. ij.

Camphoræ.....Scrup. ij.

Cum Melle, F. Boli xxiv.

Bis, ter, in die sumat æger Bolum *j*.

B O L U S A N T I S P A S M O D I C U S.

℞. Pulv. de Gutteta *Unc. j.*
 Salis sedativi Homberg *Semi-unc.*
 Castorei *Drach. ij.*
 Camphoræ *Gran. xij.*
 Opii *Gran. vj.*
 Cum Syr. Caryophyl. F. Boli *xiv.*
 Usus ut prioris.

B O L U S P S O R I C U S.

℞. Ætiopis antimonialis }
 Conservæ fumaræ } *ana. Unc. j.*
 Cum Mellis *q. s.* F. Boli *xxx.*
 Consperg. Pulv. Glycyrrh.
 Dos. Bol. *j* semel vel bis in die, cum decoct. Lapathi.

P I L U L Æ.

P I L U L Æ S A P O N A C E Æ.

℞. Saponis Venet *Unc. j.*
 Rad. Enulæ camp *Drach. ij.*
 Jalappæ *Drach. j.*
 Rad. in pulv. redact. misceantur cum Sapone, addita
 elixir. pptatis *q. s.*

℞ *ij*

F O R M U L Æ

F. Pil. *gran.* x pond.Dof. pilul. *j* vel *ij*, bis, ter in die, superbibendo decoct. aperit.

P I L U L Æ S C I L L I T I C Æ.

℞. Scillæ recent.

| | | |
|-------------------------|------------------------|------------------|
| Gum. Ammoniacy depurati | } <i>ana</i> | <i>Semi-unc.</i> |
| Millepedum ppt. | | |

Saponis Venet. *Unc. j.*Cum Oxymellis scillit. *q. s.*F. Pilul. *gran.* x pond.Dof. Pilul. *j*, bis, ter in die.

P I L U L Æ B A L S A M I C Æ.

℞. Millepedum ppt. *Semi-unc.*

| | | |
|---------------------|------------------------|-------------------|
| Rad. Ireos Florent. | } <i>ana</i> | <i>Drach. ij.</i> |
| Gummi Ammoniacy | | |

Flor. Benzoini *Drach. j.*Terebinthinæ Venetæ *Semi-unc.*Syr. Balsamici *q. s.*

Terebinthina primo teratur cum Syr. dein Gum.
Ammoniac. & flor. Benzoini; postea addantur
Milleped. & Iris pulverisat.

F. Pilul. *Gran.* x pond.Capiat Æger Pilul. *j*, bis, ter in die.

P I L U L Æ D E T E R E B I N T H I N A.

| | | |
|----------------|------------------------|------------------|
| ℞. Boli Armenæ | } <i>ana</i> | <i>Semi-unc.</i> |
| Offis Sepiæ | | |

Succini ppt. }
Mastiches } *ana* *Drach. ij.*

Rhei Elect. *Drach. j.*

Terebinthinæ coctæ *Unc. j & sem.*

Singula in pulv. redact. diu terantur cum Syr. Balsamico;
ex quibus Pilulæ formentur *gran. x pond.*

Dos. Pilul. *j*, vel *ij*, bis, ter in die.

P I L U L Æ A L U M I N O S Æ.

R. Aluminis puriss. *Unc. j.*

Sang. Draconis *Semi-unc.*

Amyli *Drach. ij.*

Pulv. cum mucilag. Gum. Tragacanth. in massam
redigantur, è qua F. Pilul. *gran. x pond.*

Dos. Pilul. *j* ad *ijj* singulis tribus horis, ut etiam duabus,
secundum indicantia.

P I L U L Æ A N T I M O N I A L E S.

R. Antimonii crud. in Alkohol. redact. *Unc. j.*

Gum. Guajaci nativi }
Extract. Fumariæ } *ana* *Drach. ij.*

Cum Elixir. pptatis

F. Pilul. *gran. x pond.*

Dos. Pilul. *j* aut *ij*, bis, ter in die,
Superbibendo decoct. sudorif.

P I L U L Æ D E P U R A N T E S.

R. Sulphuris aurati antimonii }
Mercurii dulcis } *ana* *Drach. ij.*

Mercurius levigetur super marmor per vices, addendo
sulph. antimon. portionem; diuturno tritu F. Pulv.
subtilis.

R. Pulv. præcedent. }
Gummi Guajaci } ana Semi-unc.

Cum Balsami copaibæ q. s. F. Pilul. gran. x pond.

Propinetur Pilul. j, bis, ter in die,

Jungendo decoct. sudoriferi usum.

P I L U L Æ D E C Y N O G L O S S O.

a gran. j. ad v.

P I L U L Æ S T A R C K E Y.

a gran. ij ad xij.

Vide Codicem Parisiensem.

P I L U L Æ D E C I C U T A.

R. Fol. recent. Cicutæ Maj. Q. v.

Exprimatur succus, isque recens lentissimo igne in
vase terreo, agitando, coquatur, ad spissi extracti
consistentiam.

Hoc extractum s. q. pulv. Fol. Cicutæ in massam
pilularem subigatur.

Formentur Pilul. gran. ij pond.

Dos. Pilul. j ad xxx,

Incipiendo à minima dosi, & per tempus augendo,
ad majorem diversis diei horis dividendam.

PULVERES.

PULVERES.

PULVIS TEMPERANS.

℞. Nitri puriss. }
 Tartari Vitriolati } *ana* *Unc. ij.*
 Cinnabaris Factitiæ *Drach. ij.*

Misce; F. pulvis subtilissimus.

Dosis *Semi-scrup. ad Scrup. j.*

PULVIS ANODINUS DOVERI.

℞. Sal. Nitri }
 Tartari Vitriolati } *ana* *Unc. iv.*

Incrucibulum candens injice; agita, donec deflagratio
 & scintillatio desinant. Adde

Opii concisi *Unc. j.*

In pulverem redige, addendo

Glycyrrhiæ }
 Ipecacuanhæ subtilissimè pulv. } *ana* *Unc. j.*

Deinde probè misceantur omnia.

Dosis a *gr. x* ad *scrup. ij*, & quidem ad *drach. j.*

REMEDIA EVACUANTIA.

V O M I T O R I A.

A Q U A S T Y B I A T A.

℞. Tartari Emetici *Gran. iv.*

Solve in Aquæ commun. *Libr. j.*

In tres partes divisam sumat æger, spatio horæ unius,
multum aquæ tepidæ bibendo.

I P E C A C U A N H A.

℞. Ipecacuanhæ pulv. *Semi drach.*

Dilue in aquæ tepidæ *Unc. iv.*

Exhibeatur una vice, vomitum aquæ tepidæ potu
ciendo.

DECOCTUM IPECACUANHÆ, MODO PISONIS.

℞. Rad. Ipecacuanh. pulv. *Drach. ij.*

Infunde per noctem in aquæ communis *unc. iv*, ad
tertiæ partis consumptionem: decanta.

Residuum rursus pariter infundatur, in aquæ com-
munis *unc. iv*, secundâ & tertiâ vice.

Colaturæ dentur singulæ pro dosi, tribus diebus
continuis.

POTIO EMETICA IN SOPOROSIS.

℞. Vini emetici *Unc. j.*
 Oximellis scillit. }
 Aquæ Cinnamomi hord. } *ana Semi-unc.*
 Misce.

Augeantur vel minuantur doses, pro necessitate.

Kermes minerale.

Dosis a *gran. ij* ad *vj*.

VITRUM CERATUM ANTIMONII.

℞. Cerae Flavæ *Drach. j.*
 Liquefiat in cochleari ferreo.
 Adde

Vitri Antimonii pulv. *Unc. j.*
 Agita supra ignem lenem, donec tabaci colorem
 æmuletur.

Hujus grana *viii* propinentur in ptisanæ *unc. ij*.

PURGANTIA.

DILUTUM CASSIÆ.

℞. Pulpæ Cassiæ *Unc. iv.*
 Salis vegetabilis *Drach. ij.*
 Dilue in aquæ bullient. *libr. iv.*

Dosis *unc. vj*, bis, ter, quater in die.

E ij

D E C O C T U M T A M A R I N D O R U M.

R. Tamarindorum pinguium }
 Medullæ Cassiæ } *ana* *Unc. ij.*

Coque leviter in aqua simplici ad *libr. iv.*

In colatura solve

Salis Glauberi. *Drach. ij.*

Dos. *unc. vj*, bis, ter, quater in die.

Cuilibet dosi diluti Cassiæ, ut decocti Tamarindorum
 possunt addi

Tartari Emetici, *Semi-gran.* ad *j*,

aut

Theriacæ *Semi-scrup.* prout feret indicatio.

C A S S I A C U M M A N N A.

R. Medullæ Cassiæ *Semi-unc.*

Salis vegetabilis. *Drach. & Semi*

Coque leviter in Aqua simplici, ad *unc. v.*

Sub finem solve

Mannæ. *Unc. ij.*

Colatura pro dosi.

R H E U M C U M M A N N A.

R. Rhei electi *Drach. j.*

Salis vegetabilis. *Semi-drach.*

Coque leviter in Aqua simplici, ad *unc. iv.*

Sub finem adde

Mannæ *Unc. ij.*

Colatura pro dosi.

MANNA CUM CATHOLICO.

℞. Mannæ *Unc. ij.*

Solve in Aquæ bullient. *Unc. v.*

In colatura dilue

Electuarii catholici duplicis *Unc. j.*

Pro uno haustu.

POTIO COMMUNIS MINOR.

℞. Fol. Sen. *Drach. j & sem.*

Salis Vegetab. *Drach. j.*

Coq. leviter in aqua simpl. ad *unc. ij.*

Adde sub finem ebullit. mannæ *Unc. j.*

In colat. dilue.

Syr. Rosarum solut. cum Sen. *Drach. vj.*

POTIO COMMUNIS MAJOR.

℞. Fol. Sennæ *Drach. ij.*

Salis Cathartici amari *Drach. iij.*

Coque in aquæ simpl. *q. s.* ad *unc. v.*

In colatura dilue

Electuarii purgantis *Semi-unc.*

E iij.

P O T I O H Y D R A G O G A.

℞. Fol. Sennæ Drach. iij.

Arcani duplic. Drach. ij.

Coq. in aqua communi ad *unc. iv.*

In colatura dilue

Syr. de Rhamno cathart. Unc. j & sem.

Et, si præscribatur,

Elaterii Gran. iv.

E M U L S I O P U R G A N S.

℞. Rad. Jalappæ Drach. j.

Sacchari albi. Drach. ij.

In mortario lapideo diu tritis, admisce sensim & divisim

Ptisane communis. Unc. iij.

Colaturæ affunde

Syr. Rosarum solut. cum Sen. Unc. & sem.

Uno haustu sumenda.

B O L U S L A X A N S A D S T R I N G E N S.

℞. Rhei electi
Myrobalanorum citr. } *ana.* Semi-drach.

Ipecacuanhæ. Gran. vj.

Cum Syr. Cicorii cum Rheo, *q. s.*

F. Boli iij pro dosi.

B O L U S P U R G A N S.

℞. Rad. Jalappæ.....Semi-drach.

Cum Amygd. dulc. No. j, trituretur.

Adde

Crem. Tartari.....Gran. xij.

Cum Syr. Cicor. cum Rheo.

F. Boli iij pro dosi.

B O L U S H Y D R A G O G U S.

℞. Rad. Jalappæ.....Semi-drach.

Resinæ Scammonii }
Gummi Guttæ } ana.....Gran. iv.

Salis Absinthii.....Gran. vj.

Cum Syr. de Rhamno cathartico, diu trititando,

F. Boli iij pro dosi.

P I L U L Æ A N T I - H Y D R O P I C Æ.

℞. Aloes Soccotrinæ.....Semi-unc.

Gummi Guttæ }
Diacrydii } ana.....Drach. ij.

Gum. Amm. in aceto soluti.....Drach. iij.

Arcani Duplic.....Drach. ij.

Cum Oxymellis scillit. *f. q.* F. Pilul. *gr. x* pond.

Dos. pilul. ij ad iij.

P I L U L Æ M E R C U R I A L E S.

℞. Mercurii vivi }
 Diacrydii } *ana* *Unc. j.*
 Rad. Jalappæ }

Mercurius perfectè extingatur in mortario lapideo,
 trituratione longâ cum Sacchari *Semi-unc.* instillando
 Oxymellis guttulas: dein misce paulatim Diacryd.
 & Rad. Jalap. addendo Oxymel. *q. s.* & sub finem

Nitri puriss. *Drach. j.*

Camphoræ. *Gran. vj.*

F. Pilul. *gran. x pond.*

Dos. Pilul. *ij* ad *vj* si scopus sit purgandi; si vero
 alterandi, pilul. *j* vel *ij* semel vel bis in die.

E L E C T U A R I U M P U R G A N S.

℞. Rad. Jalappæ *Unc. iv.*

Fol. Sennæ *Unc. ij.*

Scammonii Alep *Semi-unc.*

Crem. Tartari }
 Sem. Anisi } *ana* *Unc. j.*

Pulpæ Prunorum *Libr. j.*

Tamarindorum *Semi-libr.*

Rad. Jalapp. & Scammon. in subtil. pulv. redigantur;
 diu terantur cum Amygd. dulc. No. *xx*, postea
 addantur Fol. Sen. pulver. Sem. Anisi & Crem.
 Tartari; simulque misceantur pulpis Prunorum &
 Tamarindorum bene coctis, mellisque despumati
q. s. ad conficiendum Electuarium.

Dosis *Semi-unc.* in Potione purgante.

E N E M A T A.

ENEMATA.

ENEMA SIMPLEX.

R. Fol. Malvæ *M. j.*

Coque in Aqua communi ad *libr. j.*

In colatura solve

Saponis Veneti *Drach. ij.*

ENEMA LAXANS.

Dilue in Enemate simplici

Electuarii lenitivi *Unc. j.*

ENEMA CARMINATIVUM.

R. Baccar. Juniperi

Sem. Anisi

Cumini

} ana *Drach. ij.*

Contusa coq. in aqua simplici ad *libr. j.*

In colatura calida solve

Saponis Veneti *Semi-unc.*

ENEMA LENIENS.

R. Sem. Lini *Unc. j.*

Coq. in aqua simpl. ad *libr. j.*

E

In colatura adde

Olei Lini *Unc. iv.*

Pro *ij* enematibus.

E N E M A B A L S A M I C U M .

℞. Terebinthinæ puræ *Drach. ij.*

Vitel. ovi *No. j.*

Diu simul tritis & permistis, adde

Theriacæ *Semi-unc.*

Decoct. Sem. Lini *Libr. j.*

In *ij* partes divisum, inserviat pro binis Clysteribus.

E N E M A A D S O P O R O S O S A F F E C T U S .

℞. Fol. Sennæ }
 Salis communis }*ana Semi-unc.*

Coq. in aqua simpl. ad *libr. j.*

In colatura adde

Vini Emetici turbidi *Unc. ij.*

M E D I C A M E N T A
S O L I O E N E C A N D O A P T A .

B O L U S G U M M I G U T T Æ .

℞. Gummi guttæ *Gran. x.*

Sem. Colocynth. No. iij.

Cum Amygd. amar. No. j triturentur; & cum Syr.
Absinth. F. Boli ij.

Pro dosi, singulis octo diebus, repetenda.

P I L U L Æ F Æ T I D Æ.

R. Aloes Soccotrinæ } ana. Unc. j.
Assæ fætidæ }
Salis Absinthii Semi-unc.
Olei Roris marini. Drach. ij.

Cum Elixir. pptatis F. Pilul. gran. x pond.

Dos. Pilul. ij, mane & sero, superbibendo decoct.

Rad. Filicis, Unc. vj.

O P I A T A J O V I A L I S.

R. Stanni purissimi } ana. Unc. j.
Mercurii vivi }
Stanno liquefacto, adde Argentum vivum; postquam

mixtura refrixerit, in pulv. cum Concharum ppt.

Unc. j redigatur.

R. Hujus Pulveris } ana. Unc. ij.
Conservæ Absinthii }
Cum Syr. Absinth. F. opiata.

Dosis Drach. ij, bis in die.

REMEDIA EXTERNA.

GARGARISMATA.

GARGARISMA EMOLLIENS.

℞. Rad. Altheæ *Unc. j.*

Ficus ping. *No. iv.*

Coq. in aquæ simplicis *Semi-libr. ad Libr. j.*

In colatura dilue

Oxymellis simpl. *Unc. j.*

GARGARISMA DETERGENS.

℞. Hordei integri *Unc. j.*

Coq. in Aquæ simplicis *q. s. ad Libr. j.*

Sub finem adde

| | | |
|----------------|------------------------|----------------|
| Fol. Agrimonie | } <i>ana</i> | <i>Semi-M.</i> |
| Rubi vulgaris | | |

In colatura dissolve

Mellis rosati *Unc. j.*

Nitri purissimi *Drach. j.*

GARGARISMA ADSTRINGENS.

℞. Malicorii *Unc. j.*

Balaustiorum *Semi-unc.*

Coq. per dimidiam horam in aquæ simpl. q. s. ad libr. j.

In colatura solve

Aluminis Semi-drach.

Syr. de Rosis ficcis Unc. j.

G A R G A R I S M A A N T I S C O R B U T I C U M.

R. Decoct. antiscorbut. Libr. j.

Spiritus Cochleariæ. Unc. j.

Salis Drach. ij.

Oxymellis simpl. Unc. ij.

Misce.

C O L L Y R I A.

C O L L Y R I U M S E D A N S.

R. Camphoræ cum Saccharo trit. Gran. ij.

Salis sedat. Homberg. Gran. vj.

Emulsionis communis. Unc. iv.

In mortario solvendo F. Collyrium.

Adde, pro re volente, Laudani liq. gut. vj.

C O L L Y R I U M A D S T R I N G E N S.

R. Trochisc. albi Rhafis Drach. j.

Vitrioli albi Semi-drach.

Sacchari Saturni Semi-scrup.

F ij

In mortario terantur & misceantur cum aquæ Rosarum . *Unc. iv.*

COLLYRIUM RESOLVENS IN OPHTALMIÂ SCORBUTICÂ.

℞. Sacchari Saturni
 Salis Ammoniaci crudi } *ana. Gran. iij.*
 Solve in Aquæ font. *Unc. xij.*

Adde, pro re natâ, Tincturæ Thebaïcæ, *drach. j.*

C O L L Y R I U M R O B O R A N S.

℞. Aquæ Rosarum *Unc. iv.*
 Vini Emetici *Semi-unc.*
 Balsami Fioraventi *Drach. ij.*

Misce.

C O L L Y R I U M S A P H I R I N U M.

℞. Salis Ammoniaci *Drach. j.*
 Solve in Aquæ calcis *Libr. j.*

Stent simul in Vase cupreo, vel cum lamellis cupreis,
 donec Aqua colorem Saphirinum acquisiverit.

C O L L Y R I U M L A N F R A N C I.

Vide Codicem Parisiensem.

CATAPLASMATA, LINIMENTA, &c.

C A T A P L A S M A A N O D I N U M.

℞. Fol. Althææ.....*M. iv.*
 Papaveris hortensis.....*M. j.*
 Hyoscyami nigri.....*Semi-M.*
 Coq. in Lacte recenti; sub finem adde
 Farinæ Sem. Lini.....*Unc. j.*
 Olei Lini.....*Unc. ij.*

F. Cataplasma.

C A T A P L A S M A D E M I C Â P A N I S.

℞. Micæ panis albi.....*Libr. ij.*
 Flor. Meliloti }
 Sambuci } *ana.....Semi-M.*

Coq. in Lactis *libr. vj*, ad consistentiam Cataplasmatidis.

C A T A P L A S M A M A T U R A N S.

℞. Cataplasmatidis de Micâ panis.....*Libr. j.*
 Misce cum
 Saponis Veneti.....*Unc. ij.*

S I N A P I S M U S.

℞. Micæ panis.....*Unc. iv.*

Sem. Sinapi pulv. *Unc. ij.*

Salis communis. *Semi-unc.*

Aceti *q. s.* ut F. Cataplasma.

F O M E N T U M A N O D I N U M.

R. Plantas Cataplasma. anodini.

Coq. in Aquâ simpl. ad *libr. iij.*

Colatura cum expressione inserviat.

F O M E N T A T I O E M O L L I E N S.

R. Fol. Malvæ

Bismalvæ

Violarum

Mercurialis

} *ana* *M. iv.*

Flor. Chamæmeli

Meliloti

} *ana* *M. ij.*

Incisa ferventur.

Horum *M. iij* leviter coquantur in Aquæ *libr. iv.*

Decoctum inserviat pro fotu.

F O M E N T A T I O A D E R Y S I P E L A S.

R. Flor. Sambuci. *M. j.*

Bulliant in Aquæ simpl. *q. s.* In colat. *libr. j.* adde

Spiritus Vini camphorat. *Unc. j.*

Salis Saturni. *Scrup. j.*

FOTUS

FOTUS AD GANGRÆNAM.

R. Cort. chinæ-chinæ *Unc. j.*

Coq. in Aquæ communis *libr. iij*, ad tertiæ partis
consumptionem.

Sub finem adde

| | |
|----------------------|---|
| Flor. Chamæmeli Rom. | } <i>ana</i> <i>Semi-unc.</i> |
| Tanaceti | |

In colaturâ misce

Spiritus Salis *Unc. j.*

Vini camphorati *Unc. ij.*

VINUM AROMATICUM PRO FOTU.

| | |
|---------------------|--------------------------------------|
| R. Summitat. Salviæ | } <i>ana</i> <i>M. iv.</i> |
| Hyssopi | |
| Rorismarini | |
| Lavendulæ | |

| | |
|-----------------|--------------------------------------|
| Rutæ | } <i>ana</i> <i>M. ij.</i> |
| Flor. Chamæmeli | |

Digerantur *M. ij* per noctem, in Vini rubri *libr. iv*,
supra cineres calidos, vase rite clauso.

In colaturâ solve

Salis Ammoniaci *Drach. ij.*

FOTUS TONICUS.

| | |
|-------------------------|--------------------------------------|
| R. Aquæ Vitæ camphoratæ | } <i>ana</i> <i>P. Æq.</i> |
| Calcis vivæ | |

Misce.

A Q U A V I T Æ S A P O N A C E A.

℞. Saponis Veneti *Unc. j.*

Solve in

Aquæ Vitæ camphorat. *Libr. j.*

A Q U A S T Y P T I C A.

℞. Aluminis Rupei }
Vitrioli cærulei } *ana. Unc. iij.*Solve in Aquæ comm. calidæ, *libr. ij.*

Filtrato liquori adde

Olei Vitrioli *Drach. ij.*

L I N I M E N T U M A N T I P L E U R I T I C U M.

℞. Saponis Veneti *Unc. ij.*Olei Lauri }
Balsami tranquillantis } *ana. Unc. j.*Spiritus volat. Salis Ammoniaci *Drach. ij.*

Igne leni liquefat Sapo ; ab igne remove ; misce

Oleum Lauri, Balsam. tranquill. & Spiritum vol.

L I N I M E N T U M V O L A T I L E.

℞. Terebinthinæ Venetiærum }
Spiritus Salis Ammoniaci } *ana. P. Æq.*

Trituratione misceantur, sensim Spiritum instillando.

L I T U S A D R H U M A T I S M U M.

℞. Aquæ Vitæ camphorat.Unc. vj.
 Spiritus Salis }
 Olei Terebinth. } anaUnc. j.
 Misce.

L I T U S A D H Æ M O R R O I D E S.

℞. Unguenti PopuleiUnc. j.
 Balsami tranquill.Semi-unc.
 Olei Ovorum.Drach. ij.
 Misce.

U N G U E N T U M A D H Æ M O R R O I D E S.

℞. Butyri recentisUnc. ij.
 Cerusæ lotæ.Drach. ij.
 Opii pulv.Gran. vj.
 Misce.

U N G U E N T U M A D A M B U S T A.

℞. Olei LiniSemi-libr.
 Ceræ FlavæUnc. ij.
 Igne moderato liqueſcat Cera in Oleo; tunc miſce
 Aceti LithargyriUnc. ij.
 Agita, ſimul unitis, adde
 Camphoræ.Drach. j.
 G ij

U N G U E N T U M N E R V A L E.

- Rx. Unguenti de Nicotianâ.....*Unc. iv.*
 Olei Laurini.....*Unc. ij.*
 Vitrioli.....*Semi-unc.*
 Misce.

U N G U E N T U M A D S C A B I E M.

- Rx. Axungię porcinae.....*Libr. j.*
 Aluminis usti.....*Unc. iv.*
 Flor. Sulphuris.....*Unc. ij.*
 Radicis Hellebori albi.....*Semi-unc.*
 Pulverisata misceantur cum Axungia.

U N G U E N T U M M E R C U R I A L E C I T R I N U M.

Vide Codicem Parisiensem.

E M P L A S T R U M R E S O L V E N S.

- Rx. Gummi Ammoniacy.....*Libr. j.*
 Solve in
 Succı Cicutę.....*Libr. iij.*
 Igne moderato coque ad Emplastri mollis consistentiam.
 Sub finem adde
 Saponis Veneti.....*Unc. iij.*

E M P L A S T R U M M E R C U R I A L E.

- ℞. Gummi Ammoniaci colati *Libr. j.*
 Mercurii Vivi *Unc. iij.*
 Balsami Sulphuris simpl. *Drach. ij.*

Mercurius cum Balsamo Sulphuris extingatur; addatur
 deinde paulatim Ammoniacum liquefactum, paulo
 antequam refrikerit, & accurate misceantur.

E X T R A C T U M S A T U R N I.

- ℞. Lithargyrii *Libr. iij.*
 Aceti optimi *Libr. vj.*

Bulliant per horam; spatulâ ligneâ sæpius agitentur.
 Liquorem decanta & serva.

L I Q U O R V E G E T O - M I N E R A L I S.

- ℞. Aquæ communis *Libr. ij.*
 Extracti Saturni *Drach. ij ad Semi-unc.*

Misce.

P R I M A C A N D E L Æ S P E C I E S.

- ℞. Cerae Flavæ liquatæ *Libr. ij.*
 Extracti Saturni *Unc. j.*

Misce, ab igne remotis, immerge telas.

F. Candelæ *℥. a.*

G iij

S E C U N D A C A N D E L Æ S P E C I E S.

R. Cerae Flavæ liquatæ.....*Libr. j.*
Extracti Saturni.....*Unc. ij.*
Misc.

T E R T I A C A N D E L Æ S P E C I E S.

R. Cerae Flavæ liquatæ.....*Libr. j.*
Extracti Saturni.....*Unc. iv.*
Misc



MEDICAMENTA

SIMPLICIA ET COMPOSITA,

Quorum Collectio in NOSOCOMIIS
MILITARIBUS, pro ducentis Ægris,
trium mensium spatio, necessaria est.

THE GAZETTE

OF THE GOVERNMENT

OF THE UNITED STATES OF AMERICA
PUBLISHED WEEKLY
BY THE GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

REMEDIA



REMEDIA

SIMPLICIA ET COMPOSITA.

REMEDIA SIMPLICIA.

RADICES.

| | <i>Libr.</i> | <i>Unc.</i> |
|--------------------------------|--------------|-------------|
| ACETOSÆ..... | 12. | " |
| Acori Veri, Calam. Aromat..... | 6. | " |
| Altheæ..... | 60. | " |
| Angelicæ..... | 6. | " |
| Apii..... | 9. | " |
| Ari..... | 2. | " |
| Aristolochiæ..... | 9. | " |
| Asclepiadis..... | 1. | " |
| Asparagi..... | 6. | " |
| Bardanæ..... | 6. | " |
| Bistortæ..... | 3. | " |
| Brusci..... | 6. | " |
| Bryoniæ..... | 1. | " |
| | <i>H</i> | |

| | <i>Libr.</i> | <i>Unc.</i> |
|------------------------------|--------------|-------------|
| Caryophyllatæ | 3. | // |
| Chelidonii majoris | 4. | // |
| Chinæ | 6. | // |
| Cicorii sylvestris | 30. | // |
| Consolidæ majoris | 30. | // |
| Contrayervæ | 1. | // |
| Enulæ campanæ | 12. | // |
| Eryngii | 3. | // |
| Filicis | 3. | // |
| Fæniculi | 12. | // |
| Fragariæ | 12. | // |
| Gentianæ | 8. | // |
| Graminis | 150. | // |
| Hellebori nigri | // | 12. |
| Hellebori albi | // | 8. |
| Ipecacuanhæ | 1. | // |
| Jalappæ | 3. | // |
| Imperatoria | 3. | // |
| Iridis Florentinæ | 2. | // |
| Lapathi acuti | 50. | // |
| Liquiritiæ | 100. | // |
| Nympheæ | 4. | // |
| Ononidis | 4. | // |
| Pareiræ-bravæ | 1. | // |
| Petroselini | 20. | // |

Lib. Unc.

| | | |
|-----------------------------|-----|----|
| Pœoniæ | 1. | II |
| Polypodii | 3. | II |
| Raphani rusticani | 12. | II |
| Rhabarbari | 2. | II |
| Rubiæ Tinctorum | 3. | II |
| Rusci | 3. | II |
| Sarsaparillæ | 6. | II |
| Scillæ | 3. | II |
| Scorzonæræ | 6. | II |
| Scrophulariæ | 4. | II |
| Serpentariæ | 2. | II |
| Tormentillæ | 18. | II |

F O L I A.

| | | |
|----------------------------|-----|----|
| Abfinthii | 4. | II |
| Acetosæ | 6. | II |
| Agrimoniæ | 2. | II |
| Altheæ | 12. | II |
| Beccabungæ | 6. | II |
| Capilli Veneris | 4. | II |
| Cardui Benedicti | 4. | II |
| Cerefolii | 6. | II |
| Chamædryos | 3. | II |
| Chamæpytios | 3. | II |

H ij

| | <i>Libr.</i> | <i>Unc.</i> |
|--------------------------|--------------|-------------|
| Chelidonii majoris..... | 3. | II |
| Cicorii sylvestris..... | 20. | II |
| Cicutæ majoris..... | 3. | II |
| Cochleariæ..... | 4. | II |
| Endiviæ..... | 6. | II |
| Erysimi..... | 4. | II |
| Fumariæ..... | 10. | II |
| Hæderæ terrestris..... | 6. | II |
| Hyosciami..... | 2. | II |
| Hyssopi..... | 3. | II |
| Malvæ..... | 20. | II |
| Melissæ..... | 2. | II |
| Menthæ..... | 2. | II |
| Mercurialis..... | 8. | II |
| Myrti..... | 1. | II |
| Nasturtii aquatici..... | 4. | II |
| Papaveris hortenſis..... | 3. | II |
| Parietariæ..... | 8. | II |
| Plantaginis..... | 4. | II |
| Pulmonariæ..... | 4. | II |
| Rorismarini..... | 1. | II |
| Rubi vulgaris..... | 2. | II |
| Rutæ hortenſis..... | 1. | II |
| Sabinæ..... | 1. | II |
| Salviæ..... | 1. | II |

Libr. Unc.

| | | |
|----------------------------|------|------|
| Saniculæ | 4. | II |
| Scolopendrii | 6. | II |
| Scordii | II | I 2. |
| Sennæ | I 8. | II |
| Taraxaci | 3. | II |
| Trifolii fibrini | 4. | II |
| Veronicæ | 4. | II |
| Violaris | 9. | II |
| Virgæ aureæ | 2. | II |

Specierum amararum 9. II

Vide pag. 8.

Aromaticarum I 2. II

Pag. 49.

Emollientium I 8. II

Pag. 48.

Vulnerariarum 9. II

Pag. 9.

F L O R E S.

| | | |
|-----------------------------|----|----|
| Balaustiorum | 2. | II |
| Bellidis minoris | 1. | II |
| Centaurii minoris | 3. | II |
| Chamæmeli Rom. | 2. | II |
| Vulgaris | 9. | II |

H iij

| | <i>Libr.</i> | <i>Unc.</i> |
|-------------------------|--------------|-------------|
| Hyperici..... | 3. | " |
| Lavendulæ..... | 1. | " |
| Lupuli Salictarii..... | 2. | " |
| Malvæ..... | 1. | " |
| Meliloti..... | 9. | " |
| Millefolii..... | 1. | " |
| Papaveris Erratici..... | 9. | " |
| Pedis Cati..... | 2. | " |
| Rosarum Rubrarum..... | 3. | " |
| Provincial..... | 2. | " |
| Sambuci..... | 4. | " |
| Tanaceti..... | 1. | " |
| Tunicæ..... | 1. | " |
| Tussilaginis..... | 1. | " |
| Verbasci..... | 4. | " |
| Urticæ albæ..... | 1. | " |

S E M I N A.

| | | |
|--|----|----|
| Anisi..... | 3. | " |
| Cardui Benedicti..... | " | 6. |
| Cardui Mariæ..... | " | 6. |
| Cinæ, <i>sive</i> Seminis contra Vermes..... | 1. | " |
| Coriandri..... | " | 8. |
| Dauci sylvestris..... | " | 8. |

| | <i>Libr.</i> | <i>Unc.</i> |
|--------------------------------|--------------|-------------|
| Fæniculi | # | 8. |
| Hordei | 200. | // |
| Lini | 6. | // |
| Sinapi | 1. | // |
| Quatuor Frigid. major. | 4. | // |
| Farin. resolvent. | 15. | // |

F R U C T U S.

| | | |
|-------------------------------|------|-----|
| Alkekengi | 1. | // |
| Amigdal. dulcium. | 8. | // |
| Amar. | 1. | // |
| Capit. Papaver. albi. | 2. | // |
| Caricarum | 40. | // |
| Cassia Fistulæ | 60. | // |
| Colocynthidos. | // | 6 |
| Cupressi Nucum | 1. | // |
| Cynosbatos | 2. | // |
| Juniperi Baccar. | 8. | // |
| Lauri Baccar. | // | 12. |
| Myrobalanorum Citr. | 1. | // |
| Passularum maj. | 6. | // |
| Prunarum Damascen. | 24. | // |
| Tamarindorum | 100. | // |

C O R T I C E S.

| | <i>Libr.</i> | <i>Unc.</i> |
|------------------------------------|--------------|-------------|
| Aurantiorum | 2. | // |
| Cascarillæ | 1. | // |
| Cinnamomi | 1. | // |
| Chinae Chinae | 30. | // |
| Citri | 1. | // |
| Malicorii | 2. | // |
| Simaroubæ | 1. | // |
| Vinterani - Magellanicae | 1. | // |

A R O M A T A.

| | | |
|--------------------------------|----|-----|
| Caryophyllorum Aromat. | // | 6. |
| Croci Orientalis | // | 12. |
| Cubebæ | // | 2. |
| Macis | // | 2. |
| Piperis longi | // | 8. |
| Zedoariæ | // | 8. |
| Zingiberis | // | 8. |

L I G N A.

| | | |
|-------------------|------------|----|
| Guajaci | 9. | // |
| | Nephritici | |

S I M P L I C I A.

65

| | Lib. | Unc. |
|-------------------------|------|------|
| Nephritici. | II | 8. |
| Sandalini Citrini. | I. | II |
| Rubri. | I. | II |
| Sassafras. | 6. | II |

F U N G I.

| | | |
|---------------------|----|------|
| Agarici Albi. | II | I 2. |
| Crepitus Lupi. | I. | II |

M A R I N A.

| | | |
|-----------------------------|----|------|
| Coralliorum Rubr. ppt. | II | I 2. |
| Corallinæ. | II | 8. |
| Spongiarum. | II | 8. |
| pptar. | II | 8. |

E X A N I M A L I B U S.

| | | |
|---------------------|----|------|
| Milleped. | II | I 2. |
| Cantharidum. | 3. | II |
| Castorei. | II | 6. |
| Ceræ Albæ. | 6. | II |
| Flavæ. | 4. | II |
| Concharum ppt. | II | I 2. |
| | I | |

| | <i>Libr.</i> | <i>Unc.</i> |
|---------------------------|--------------|-------------|
| Cornu Cervi ras. | 6. | ℥ |
| ad Albed. calcinat. | 6. | ℥ |
| Matris Perlarum ppt. | ℥ | 12. |
| Oculorum Cancrorum. | ℥ | ℥ |
| Offis Sepiæ. | ℥ | ℥ |
| Spermatis Ceti. | ℥ | ℥ |

M I N E R A L I A.

| | | |
|-----------------------------|----|-----|
| Antimonii Crudi. | 3. | ℥ |
| Argenti Vivi. | 2. | ℥ |
| Auripigmenti. | ℥ | 8. |
| Boli Armenæ. | 3. | ℥ |
| Cerusæ Albæ. | 6. | ℥ |
| Colchotar. | ℥ | ℥ |
| Chalybis Limaturæ. | 4. | ℥ |
| Croci Martis aperient. | ℥ | 12. |
| Lithargyri. | 3. | ℥ |
| Minii. | ℥ | ℥ |
| Terræ Sigillatæ alb. | ℥ | ℥ |
| Tuthiæ. | ℥ | 6. |
| Viridis Æris. | ℥ | 8. |

G U M M I E T R E S I N Æ.

| | | |
|-----------------|----|---|
| Ammoniacy. | 4. | ℥ |
|-----------------|----|---|

Libr. Unc.

| | | |
|------------------------------|----|------|
| Arabici. | I. | II |
| Assæ dulcis | II | 3. |
| Assæ fætidæ. | II | I 2. |
| Camphoræ | 3. | II |
| Colophonæ. | 2. | II |
| Elemi. | 2. | II |
| Euphorbii | II | 4. |
| Guajaci. | II | 6. |
| Gummi Guttæ. | II | 8. |
| Mastiches | II | I 2. |
| Myrrhæ | 2. | II |
| Olibani | I. | II |
| Pini. | 2. | II |
| Sanguinis Draconis | I. | II |
| Succini flavi. | II | I 2. |
| Tragacanthi. | 2. | II |

S U C C I C O N C R E T I.

| | | |
|----------------------------|-------|------|
| Aloes Succotrinæ | 3. | II |
| Hypocistidis. | II | I 2. |
| Liquiritiæ | 6. | II |
| Mannæ | 60. | II |
| Mellis. | I 00. | II |
| Opii | I. | II |

I ij

| | Libr. | Unc. |
|--|-------|------|
| Sacchari | 50. | II |
| Sacchari, dicti <i>Cassonade</i> | 80. | II |
| Scammonii | 2. | II |
| Terræ Japonicæ | I. | II |

B A L S A M A N A T I V A.

| | | |
|---------------------------------|-----|-----|
| Copaibæ | 2. | II |
| Peruviani Albi | II | 12. |
| Nigri | II | 12. |
| Tolutani | II | 12. |
| Terebinthinæ communis | 60. | II |
| Venetæ | 6. | II |

O L E A E X P R E S S A.

| | | |
|-------------------------------|-----|----|
| Amygdalarum dulcium | 18. | II |
| Laurini | 2. | II |
| Lini | 6. | II |
| Olivarum | 50. | II |
| Ovorum | II | 6. |

O L E A I N F U S A.

| | | |
|-----------------------|----|----|
| Chamæmeli | 6. | II |
| Hyperici | 6. | II |
| Lumbricorum | 2. | II |

Rosati. 6. II

O L E A D I S T I L L A T A.

Anisi II 4.

Citri II 6.

Rorismarini II 6.

Terebinthinæ 9. II

S A L I A N A T U R A L I A.

Aluminis crudi 4. II

Boracis II 8.

Nitri 6. II

Salis Cathartici amari 30. II

Ammoniaci 2. II

Vitrioli Albi 1. II

Cærulei II 8.

Viridis II 12.

S A L I A A R T I F I C I A L I A.

Arcani duplicati 1. II

Cristalli mineralis 1. II

Cremoris Tartari 2. II

Mirabilis Glauberi 2. II

Polychresti 2. II

Salis, vel Vitri. Martis II 12.

| | <i>Libr.</i> | <i>Unc.</i> |
|-------------------------------------|--------------|-------------|
| Saturni..... | II | 8. |
| Solubilis <i>de Seignette</i> | 9. | II |
| Tartari Chalybeat. solub..... | II | 9. |
| Vitriolati..... | I. | II |
| Emetici..... | II | 12. |
| Terræ foliatæ Tartari..... | II | 12. |
| Vegetabilis..... | I. | II |

S A L I A F I X A.

| | | |
|-------------------------------------|----|----|
| Salis Absinthii..... | I. | II |
| Genistæ..... | II | 8. |
| Tartari..... | 3. | II |
| Liquoris Tartari per deliquium..... | I. | II |

S A L I A V O L A T I L I A.

| | | |
|--------------------------------|----|-----|
| Volatilis Salis Ammoniaci..... | 2. | II |
| Cornu Cervi..... | I. | II |
| Aromatici..... | II | 12. |
| Salis sedativi Homberg..... | II | 4. |
| Cinerum Genistæ..... | 8. | II |
| Saponis Veneti..... | 9. | II |
| Starckeï..... | II | 6. |



REMEDIA COMPOSITA.

P U L V E R E S.

| | <i>Libr.</i> | <i>Unc.</i> |
|-------------------------------|--------------|-------------|
| A _{RI} composit..... | // | 12. |
| Cornachini..... | // | 6. |
| Diaireos..... | // | 12. |
| Diatragacanth. frig..... | I. | // |
| Epileptici de Gutteta..... | // | 6. |
| Pectoralis Looch ficci..... | // | 8. |
| Trochiscorum albi Rhafis..... | // | 8. |

C O N S E R V Æ.

| | | |
|--------------------|----|-----|
| Abfinthii..... | 2. | // |
| Cochleariæ..... | 2. | // |
| Enulæ Campanæ..... | // | 12. |
| Fumariæ..... | 2. | // |
| Rosarum..... | 6. | // |

E L E C T U A R I A.

| | | |
|-------------------------|----|----|
| Catholici duplicis..... | 4. | // |
| Lenitivi..... | 8. | // |

| | <i>Libr.</i> | <i>Unc.</i> |
|---------------------------------|--------------|-------------|
| Confectionis Alkermes | 3. | II |
| de Hyacinth. | 4. | II |
| Diascordii | 3. | II |
| Philonii Romani | II | I 2. |
| Theriace | I 8. | II |
| Opiatæ Salomonis | 2. | II |
| Extracti Juniperi | 6. | II |
| Pulpæ Cassiæ | 6. | II |

E X T R A C T A.

| | | |
|--------------------------|----|----|
| Cicutæ | 2. | II |
| Elaterii | II | 6. |
| Fumariæ | II | 8. |
| Laudani Opiati | II | 4. |
| Resinæ Jalappæ | II | 6. |
| Scammonii | II | 6. |

P I L U L Æ.

| | | |
|-------------------------|----|------|
| De Cynoglossæ | II | I 2. |
| Starckeii | II | 6. |

S Y R U P I.

| | | |
|---------------------|----|--------|
| Absinthii | 4. | II |
| | | Altheæ |

| | <i>Libr.</i> | <i>Unc.</i> |
|--------------------------------|--------------|-------------|
| Altheæ Fernelii | 9. | II |
| Balsamici | 2. | II |
| Capillorum Veneris | 3. | II |
| Caryophyllorum | 4. | II |
| Cicorii cum Rheo | 6. | II |
| Corticis Aurantiorum | 2. | II |
| Cydoniorum | 4. | II |
| Diacodii | 6. | II |
| Erysimi Lobelii | 2. | II |
| Limonum | 12. | II |
| Myrthini | 1. | II |
| Papaveris erratici | 9. | II |
| Rosarum solut. C. Sen. | 12. | II |
| De Rosis ficcis | 2. | II |
| De Rhamno Cathart. | 3. | II |
| De 5 Rad. aperient. | 3. | II |
| Mel. Despumat. | 12. | II |
| Mercurialis | 1. | II |
| Rosati | 4. | II |
| Oxymel. Simpl. | 9. | II |
| Scillitici | 4. | II |

T I N C T U R Æ.

| | | |
|-----------------|----|----|
| Aloes | 4. | II |
|-----------------|----|----|

K

| | <i>Libr.</i> | <i>Unc.</i> |
|--|--------------|-------------|
| Laccæ. | 1. | ii |
| Myrrhæ. | 2. | ii |
| Elixirii proprietatis Paracelsi. | 3. | ii |
| Laudani liquidi Sydenh. | 1. | ii |

B A L S A M A.

| | | |
|---|-----|----|
| Commendatoris <i>de Perne</i> | 2. | ii |
| Fioraventi. | 3. | ii |
| Lucatelli. | 1. | ii |
| Sulphuris Anisati. | ii | 8. |
| Tranquillantis. | 6. | ii |
| Virid. Metensium. | 3. | ii |
| Vini Emetici. | 3. | ii |
| Aquæ Vitæ Camphorat. | 24. | ii |
| Aquæ Calcis. | 12. | ii |

U N G U E N T A.

| | | |
|---|-----|----|
| Ægyptiaci. | 1. | ii |
| Albi Rhafis. | 2. | ii |
| Althææ. | 9. | ii |
| Unguenti <i>vulgo</i> dicti <i>Arcæi Balsamum</i> | 9. | ii |
| Basilici. | 9. | ii |
| Cerati Galeni. | 4. | ii |
| Fusci, dicti <i>de la Mère</i> | 12. | ii |

COMPOSITA.

75

| | Libr. | Unc. |
|-------------------------------|-------|------|
| Mercurialis citrini | 12. | " |
| de Nicotianâ | 1. | " |
| Nutriti | 3. | " |
| Neapolitani | 3. | " |
| Populei | 2. | " |
| Rosati | 4. | " |

EMPLASTRA.

| | | |
|--------------------------------|----|---|
| Diabotani | 3. | " |
| Diachylon C. Gummi | 6. | " |
| Simplicis | 4. | " |
| Diapalmæ | 9. | " |
| Diaphoretici | 6. | " |
| De Meliloto compos. | 4. | " |
| Norimbergensis | 9. | " |
| De Ranis C. Mercurio | 6. | " |
| Saponacei camphorati | 6. | " |
| Vesicatorii | 4. | " |



REMEDIA CHEMICA.

| | <i>Libr.</i> | <i>Unc.</i> |
|----------------------------|--------------|-------------|
| ÆRIS usti..... | // | 8. |
| Ætiopis antimonialis..... | // | 9. |
| Mineralis..... | // | 6. |
| Aluminis usti..... | 6. | // |
| Antihæctici poterii..... | // | 6. |
| Antimonii diaphoret..... | // | 12. |
| Cinnabaris factitiæ..... | // | 2. |
| Croci Martis aperient..... | // | 12. |
| Diacrydii sulphurati..... | // | 12. |
| Florum Benzoini..... | // | 6. |
| Sulphuris..... | 3. | // |
| Hepatis Antimonii..... | 2. | // |
| Kermetis mineralis..... | // | 1. |
| Lapidis caustici..... | // | 12. |
| Infernalis..... | // | 2. |
| Medicamentosi..... | // | 8. |
| Mercurii dulcis..... | // | 4. |
| Præcipitati rubri..... | // | 12. |
| Sublimati corrosivi..... | // | 1. |
| Vitri Antimonii..... | // | 6. |
| Aquæ Rosarum..... | 6. | // |

| | <i>Libr.</i> | <i>Unc.</i> |
|---|--------------|-------------|
| Cinnamomi hordeat. | 4. | // |
| Vinosæ | 4. | // |
| Spirituosæ | 3. | // |
| Rabellianæ | // | I 2. |
| Vulnerariæ spirituos. | I 2. | // |
| Liquoris anodini mineralis Hoffmanni. | // | I 2. |
| Lilii Paracelsi | // | 8. |
| Olei Vitrioli | I. | // |
| Spiritus Cochleariæ. | 3. | // |
| Melissæ composit. | 3. | // |
| Theriacalis. | 3. | // |
| Spiritus Nitri. | I. | // |
| Nitri dulcis | // | I 2. |
| Salis | 2. | // |
| Salis dulcis | // | I 2. |
| Vini | 4. | // |
| Vitrioli | 2. | // |
| Volatilis Salis Ammoniaci | I. | // |
| Aromatici oleosi | // | 6. |



1843

1. The first of the year was a very cold day.
2. The second day was a very cold day.
3. The third day was a very cold day.
4. The fourth day was a very cold day.
5. The fifth day was a very cold day.
6. The sixth day was a very cold day.
7. The seventh day was a very cold day.
8. The eighth day was a very cold day.
9. The ninth day was a very cold day.
10. The tenth day was a very cold day.
11. The eleventh day was a very cold day.
12. The twelfth day was a very cold day.
13. The thirteenth day was a very cold day.
14. The fourteenth day was a very cold day.
15. The fifteenth day was a very cold day.
16. The sixteenth day was a very cold day.
17. The seventeenth day was a very cold day.
18. The eighteenth day was a very cold day.
19. The nineteenth day was a very cold day.
20. The twentieth day was a very cold day.

21. The twenty-first day was a very cold day.
22. The twenty-second day was a very cold day.
23. The twenty-third day was a very cold day.
24. The twenty-fourth day was a very cold day.
25. The twenty-fifth day was a very cold day.
26. The twenty-sixth day was a very cold day.
27. The twenty-seventh day was a very cold day.
28. The twenty-eighth day was a very cold day.
29. The twenty-ninth day was a very cold day.
30. The thirtieth day was a very cold day.

